2005–06 ರಲ್ಲಿ ಸದರೀ ವಿದ್ಯುತ್ ಸಬ್–ಸ್ಟೇಷನ್ನಿನ ನಿರ್ಮಾಣ ಕಾರ್ಯವನ್ನು ಕೈಗೆತ್ತಿಕೊಂಡು ಅದೇ ವರ್ಷದ ಅಂತ್ಯದೊಳಗೆ ಪೂರ್ಣಗೊಳಿಸಲು ಗುರಿಯನ್ನು ಹೊಂದಲಾಗಿದೆ. ಆದರೆ ವಿದ್ಯುತ್ ಲೈನನ್ನೂ ರಕ್ಷಿತ ಅರಣ್ಯ ಪ್ರದೇಶದಲ್ಲಿ ತೆಗೆದುಕೊಂಡು ಹೋಗಬೇಕಾಗಿರುವುದರಿಂದ ಅರಣ್ಯ ಇಲಾಖೆಯ ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರ ವರ್ಗದಿಂದ ಅನುಮತಿ ತೆಗೆದುಕೊಳ್ಳಬೇಕಾಗುತ್ತದೆ. ಈ ಅನುಮತಿ ಬಂದ ನಂತರವೇ ವಿದ್ಯುತ್ ಲೈನಿನ ಕಾಮಗಾರಿಯನ್ನು ಕೈಗೆತ್ತಿಕೊಳ್ಳಬಹುದಾಗಿದೆ.
ಈ ಅನುಮತಿ ಬಂದ ನಂತರವೇ ವಿದ್ಯುತ್ ಲೈನಿನ ಕಾಮಗಾರಿಯನ್ನು ಕೈಗೆತ್ತಿಕೊಳ್ಳಬಹುದಾಗಿದೆ.

68 (1055) Sri. Jeevaraja D.N. (Sringeri) : Hon'ble Minister for Public works & Energy will be pleased to State?

a) Whether it has come to notice of Government that, heavily loaded vehicles are plying on the roads, coming under Sringeri, Narasimharajapura and Koppa Taluks Perview?

b) What actions are being taken by the Govt., to prevent damages to the roads on account of lorries carrying sand and Iron Ore with loads more than the permitted load.

c) What is permissible load allowed by the Govt., for carrying load by vehicles?

d) Is there any proposal before the Govt. to sanction special grants for improvements of these roads.

Sri. H.D.Revanna (Hon'ble Minister for Public works & Energy)

a) Yes

b) Deputy commissioner, Chikkamagalure has issued orders to ban vehicles carrying load more than 15 tonnes.

c) Details furnished in Annexure Enclosed.

d) Special grants are not being released. However Annual grants are being released for maintenance of roads from time to time.

APPENDIX XII

SPECIFICATION OF MAXIMUM GROSS VEHICLE WEIGHT AND MAXIMUM SAFE AXLE WEIGHT

S.O.416(E), dated 8-6-1989-Superseded by S.O.479(E), dated 4-7-1996

S.O.681(E), dated 30-8-1989 in Partial modification of S.O.416(E) dated 8-6-1989- Superseded by S.O.479(E), dated 4-7-1996.

S.O.479(E), dated 4-7-1996-Superseded by S.O.728(E), dated 18-10-1996.

In exercise of the powers onferred by sub-section(1) of section 58 of the Motor Vehicles Act, 1988 (59 of 1988) and in supersession of the notificaion of the Government of India in the Ministry of Surface Transport S.O.No.479(E), dated the 4th July, 1996, the Central Government hereby specifies that in relation to the transport vehicles (other than motor cabs) of various categories detailed in the Schedule below, the maximum gross vehicle weight and the maximum safe axle weight of each axle of such vehicles shall, having regard to the size,nature and number of tyres and maximum weight permitted to be carried by the tyres as per rule 95 of the Central Motor Vechicles Rules, 1989, be-

(i) Vehicle manufacturers rating of the gross vehicle weight and axle weight respectively for each make and model as duly certified by the testing agencies for compliance of rule 126 of the Central Motor Vehicles Rules, 1989, or

(ii) The maximum gross vehecle weight and the maximum safe axle weight of each vehicle respectively as specified in the Schedule below for the relevant category, or

(iii) The maximum load permitted to be carried by the tyre(s) as specified in the rule 95 of the Central Motor Vehicles Rules, 1989, for the size and number of the tyres fitted on the axle (s) of the relevant make and model, whichever is less:

Provided that the maximum gross vehicle weight in respect of all such transport vehicles, including multi-axle vehicles shall not be more than the sum total of all the maximum safe axle weight put together subject to the restrictions, if any, on the maximum gross vehicle weight given in the said Schedule.

SCHEDULE

Transport Vehicle Category	Max GVW Tonnes	Maximum Safe Axle Weight
1 2	3	4
I Rigid Vehicles		
(i) Two Axle One tyre on front axle, and Two tyres on rear axle,	9.00	3 tonnes on front axle 6 tonnes on rear axle

(ii) Two Axle Two tyres on each axle	12.0	6 tonnes on front axle 6 tonnes on rear axle
(iii) Two Axle Two tyres on front axle and Four tyres on rear axle	16.2	tonnes on front axle tonnes on rear axle

1	2	3	4
	(iv) Three Axle Two tyres on front axle, and Eight tyres on rear tandem axle	25.0	6 tonnes on front axle 19 tonnes on rear tandem axle
	(v) Four Axle Four tyres on front axle,and Eight tyres on rear tandem axle	31.0	12 tonnes on two front axle 19 tonnes on rear tandem axle
II Semi-Articulated Vehicles			
	(i) Two Axle Tractor Single Axle Trailer Tractor: 2 tyres on front axle 4 tyres on rear axle Trailer: 4 tyres on single axle	26.4	 6 tonnes on front axle 10.2 tonnes on rear axle 10.2 tonnes on single Trailer axle
	(ii) Two Axle Tractor Tandem Axle Trailer Tractor 2 tyres on front axle 4 tyres on rear axle Trailer: 8 tyres on tandem axle	35.2	 6 tonnes on front axle 10.2 tonnes on rear axle 19 tonnes on trandem axle
	(iii) Two Axle Tractor Three Axle Trailer Tractor: 2 tyres on front axle 4 tyres on rear axle Trailer: 12 tyres on 3 axles	40.2	 6 tonnes on front axle 10.2 tonnes on rear axle 24 tonnes on 3 axles
	(iv) Three Axle Tractor Single Axle Trailer Tractor: 2 tyres on front axle	35.2	 6 tonnes on front axle

	8 tyres on rear axle Trailer:		19 tonnes on rear axle
	8 tyres on single axle		10.2 tonnes on single axle
(v)	Three Axle Tractor	44.0	
	Tandem Axle Trailer		
	Tractor:		
	2 tyres on front axle		6 tonnes on front axle
	8 tyres on tandem axle		19 tonnes on rear tandem
	Trailer:		axle
	8 tyres on tandem axle		19 tonnes on tandem axle

1	2	3	4
III Truck-Trailer combinations			
(i)	Two Axle Truck	36.6	
	Two Axle Trailer Truck:		
	2 tyres on front axle		6 tonnes on front axle
	4 tyres on rear axle		10.2 tonnes on rear alxe
	Trailer:		
	4 tyres on front axle		10.2 tonnes front axle
	4 tyres on rear axle		10.2 tonnes on rear axle
(ii)	Three Axle Truck	45.4	
	Two Axle Trailer	(restricted to 44.0 tonnes)	
	Truck:		
	2 tyres on front axle		6 tonnes on front axle
	8 tyres on rear tandem axle		19 tonnes on rear tandem axle
	4 tyres on front axle		10.2 tonnes on front axle
	4 tyres on rear axle		10.2 tonnes on rear axle
(iii)	Three Axle Truck	45.4	
	Three Axle Trailer	(restricted to 44.0 tonnes)	
	Truck:		
	2 tyres on front axle		6 tonnes on front axle
	4 tyres on rear axle		10.2 tonnes on rear axle
	Trailer:		
	4 tyres on rear axle		10.2 tonnes on fron axle

8 tyres on rear tandem axle		19.0 tonnes on rear tandem axle
(iv) Three Axle Truck Three Axle Trailar	54.2 (restricted to 44.0 tonnes)	
Truck: 2 tyres on front axle		6 tonnes on front axle
8 tyres on rear tandem axle Trailer:		19 tonnes on rear tandem axle
4 tyres on front axle		10.2 tonnes on front axle
8 tyres on rear tandem axle		19.0 tonnes on rear tandam axle

69 (1452) : ಶ್ರೀ ಅಶೋಕ ಗುರಪ್ಪ ಶಬಾದಿ (ಸಿಂಧಗಿ): ಮಾನ್ಯ ಕಂದಾಯ ಸಚಿವರು ಈ ಕೆಳಕಂಡ ಪ್ರಶ್ನೆಗಳಿಗೆ ದಯವಿಟ್ಟು ಉತ್ತರಿಸುವರೇ?

ಅ) ಬಿಜಾಪುರ ಜಿಲ್ಲೆ ಸಿಂಧಗಿ ತಾಲ್ಲೂಕಿಗೆ 2004–05ನೇ ಸಾಲಿನಲ್ಲಿ ಬರಪರಿಹಾರ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ಮಂಜೂರು ಮಾಡಿರುವ ಅನುದಾನದ ಒಟ್ಟು ಮೊತ್ತವೆಷ್ಟು;

ಆ) ಸದರಿ ಅನುದಾನದಲ್ಲಿ ಈಗಾಗಲೇ ಕಾಮಗಾರಿವಾರು ಬಿಡುಗಡೆಯಾಗಿರುವ ಮೊತ್ತವೆಷ್ಟು (ವಿವರ ನೀಡುವುದು);

ಇ) ಈ ತಾಲ್ಲೂಕು ಅತ್ಯಂತ ಬರಪೀಡಿತ ತಾಲ್ಲೂಕಾಗಿರುವುದರಿಂದ ಇನ್ನೂ ಹೆಚ್ಚಿನ ಅನುದಾನ ನೀಡಲು ಸರ್ಕಾರ ಪರಿಶೀಲಿಸುವುದೆ; ಹಾಗಿದ್ದರೆ, ಎಷ್ಟು ಹೆಚ್ಚುವರಿ ಮೊತ್ತವನ್ನು ನೀಡಲು ನಿರ್ಧರಿಸಿದೆ?

ಶ್ರೀ ಎಂ. ಪಿ. ಪ್ರಕಾಶ್ (ಕಂದಾಯ ಸಚಿವರು) :

ಅ) 2004–05ನೇ ಸಾಲಿನಲ್ಲಿ ಸಿಂಧಗಿ ತಾಲ್ಲೂಕಿಗೆ ಬರಪರಿಹಾರ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ಒಟ್ಟು ರೂ. 94.50 ಲಕ್ಷಗಳನ್ನು ಮಂಜೂರು ಮಾಡಲಾಗಿದೆ. (ಹಣ ಮತ್ತು ಆಹಾರಧಾನ್ಯಗಳು ಸೇರಿ)

ಆ) ಬರಪರಿಹಾರದಡಿಯಲ್ಲಿ ಮಂಜೂರಾದ ಕಾಮಗಾರಿಗಳಿಗಾಗಿ ಹಣ ರೂ. 31.50 ಲಕ್ಷಗಳನ್ನು ಮತ್ತು ಆಹಾರಧಾನ್ಯಗಳನ್ನು ಬಿಡುಗಡೆ ಮಾಡಲಾಗಿದೆ.

ಇ) ಅಗತ್ಯತೆಗನುಸಾರವಾಗಿ ಪರಿಶೀಲಿಸಿ ಅನುದಾನವನ್ನು ನೀಡಲಾಗುವುದು.

71 (711) : ಶ್ರೀ ಅಲ್ಲೋಡ್ ಹನುಮಂತಪ್ಪ (ದೇವದುರ್ಗ) : ಮಾನ್ಯ ಕಂದಾಯ ಸಚಿವರು ಈ ಕೆಳಕಂಡ ಪ್ರಶ್ನೆಗಳಿಗೆ ದಯವಿಟ್ಟು ಉತ್ತರಿಸುವರೇ?

ಅ) ರಾಯಚೂರು ಜಿಲ್ಲೆ, ದೇವದುರ್ಗ ತಾಲ್ಲೂಕಿಗೆ ಕಳೆದ ಮೂರು ವರ್ಷಗಳಿಂದ ನೀಡಿದ ಬರಪರಿಹಾರದ ನಿಧಿ ಎಷ್ಟು ಹಾಗೂ ಖರ್ಚಾದ ಹಣ ಎಷ್ಟು? ಕಾಮಗಾರಿಗಳಿಗೆ ಖರ್ಚಾದ ಹಾಗೂ ಉಳಿದ ಹಣ ಎಷ್ಟು (ವಿವರವಾದ ಮಾಹಿತಿ ನೀಡಿರಿ)